ELSEVIER

Journal of Organometallic Chemistry 525 (1996) 305–306

Journal of Organometallic Chemistry

Author Index of Volume 525

Alt, H.G., 9, 15
Alvarez, B., 109
Ando, H., 39
Antiñolo, A., 125
Ardura, D., 133
Asaro, F., 71
Avtomonov, E.V., 175, 287

Baba, A., 39
Bauer, W., 89
Bendayan, A., 151
Beyer, L., 199
Blaschette, A., 167
Böttcher, H.-C., 191
Braterman, P.S., 1
Brunner, H., 259

Cabeza, J.A., 133
Canovese, L., 43
Carballo, R., 49
Caro, B., 283
Casas, J.S., 49
Catellani, M., 65
Chiusoli, G.P., 65
Choukroun, R., 145
Coville, N.J., 159
Crociani, B., 43

Dahlenburg, L., 115
Deacon, G.B., 247
Degrand, C., 139
De la Mata, F.J., 183
De los Ríos, I., 57
Demtschuk, J., 279
Di Bianca, F., 43
Dimitrov, V., 213
Dreos, R., 71

Eisen, M.S., 81
El Krami, S., 125
Ellermann, J., 89
Ernst, M., 115

Fajardo, M., 125
Fernández, E.J., 109
Fischer, A., 291
Fontana, A., 43
Frenking, G., 269
Fujiwara, F.Y., 31
Fujiwara, M., 39

Gabold, P., 89
Gao, L., 23
García-Granda, S., 133
García-Tasende, M.S., 49
Genov, M., 213
Geremia, S., 71
Gimeno, M.C., 109
Gockel, U., 155
Graf, M., 191
Grigoriev, E.V., 175

Harris, S.C., 247
Henschel, D., 167
Heumann, A., 233
Hillmann, G., 115
Hodson, A.G.W., 207

Ishiyama, T., 225

James, S.L., 299
Jiménez Tenorio, M., 57
Jiménez Tenorio, M.A., 57
Jones, P.G., 109, 167

Kazennova, N.B., 287
Keitsch, M.R., 279
Kisin, A.V., 175
Knoch, F., 115
Knoch, F.A., 89
Kotov, V.V., 287

Laguna, A., 109
Laguna, M., 109
Lemenovskii, D.A., 287
Linden, A., 213
López-de-Luzuriaga, J.M., 109
Lorberth, J., 175, 287
Lucas, D., 125

Mack, H., 81
Mahon, M.F., 239
Mansfield, I., 255
Martínez-García, M.A., 133
Marzolini, G., 65
Merzweiler, K., 191
Mesubi, M.A., 239
Meyer, G., 247
Milius, W., 9, 15
Miyaura, N., 225
Moberg, C., 233
Moll, M., 89, 115
Molloy, K.C., 239
Mori, M., 225
Mourad, Y., 125
Mugnier, Y., 125

Nardin, G., 71
Nawar, N., 255
Nordström, K., 233
Novikova, O.P., 175

Omotowa, B.A., 239
Orabona, I., 295
Orpen, A.G., 299
Otero, A., 125

Paday, F., 139
Panunzi, A., 295
Peiffer, G., 151
Pellizer, G., 71
Pelly, S.C., 159
Pidun, U., 269
Plenio, H., 199
Pohl, D., 89
Pringle, P.G., 299
Puerta, M.C., 57

Qian, C., 23

Randaccio, L., 71
Rapicault, S., 139
Richter, R., 199
Riera, V., 133
Robin-le Guen, F., 283
Rossi, E., 65
Rufanov, K.A., 287
Ruffo, F., 295

Sánchez, A., 49
Saunders, S.M., 207
Schmid, M.A., 9, 15
Schulze, M.M., 155
Schumann, H., 279
Seidelmann, O., 199
Sénéchal, D., 283
Sénéchal-Tocquer, M.-C., 283
Simova, S., 213
Siv, C., 151
Smith, A.K., 255
Smith, J.M., 159
Sordo, J., 49

Elsevier Science S.A.

Souma, Y., 39
Stein, E., 31
Stellfeldt, D., 247
Sutter, J., 89
Suzuki, A., 225

Tanaka, M., 39
Tauzher, G., 71
Tong, N.C., 255
Trzeciak, A.M., 145

Uguagliati, P., 43

Valerga, P., 57
Vázquez-López, E.M., 49
Visentin, F., 43
Vuano, S., 71

Wagenhuber, L., 259
Wilkinson, D.L., 247
Wimmer, F.L., 1
Wimmer, S., 1
Winterfeld, J., 279
Wirth, A., 167

Yang, L., 1
Yuste, S.G., 125

Zaitseva, G.S., 175
Zelesny, G., 247
Zhao, J., 1
Ziótkowski, J.J., 145
Zou, G., 23

ELSEVIER

Journal of Organometallic Chemistry 525 (1996) 307–313

Journal of Organometallic Chemistry

Subject Index of Volume 525

Ab initio calculations
The bonding of acetylene and ethylene in high-valent and low-valent transition metal compounds (U. Pidun and G. Frenking), 269
Acetate
Novel coupling reaction of pentaarylantimony with carbon electrophiles (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 39
Acetylene complexes
The bonding of acetylene and ethylene in high-valent and low-valent transition metal compounds (U. Pidun and G. Frenking), 269
Acylpyrazol-5-ones
Organomercury(II) and diorganothallium(III) derivatives of 4-acylpyrazol-5-ones (M.F. Mahon, K.C. Molloy, B.A. Omotowa and M.A. Mesubi), 239
Alcohol
Cerium(III) chloride mediated addition of mono- and dilithium ferrocene to (+)-camphor and (−)-fenchone: synthesis and structure of new chiral ferrocenyl alcohols and diols (V. Dimitrov, M. Genov, S. Simova and A. Linden), 213
Alkyl
New square-planar cationic Pt(II) complexes containing a methyl and an olefin in *cis* position (I. Orabona, A. Panunzi and F. Ruffo), 295
Alkyl halide
Novel coupling reaction of pentaarylantimony with carbon electrophiles (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 39
Alkylidene
Synthesis and characterization of tungsten oxo alkylidene complexes via the reaction of $WCl_2(O)[PX_3]_3$ ($PX_3 = P(OMe)_3$, PMe_2Ph, $PMePh_2$) with 4,8-dioxaspiro[2,5]oct-1-ene (ketalcyclopropene) (F.J. De la Mata), 183
Allyl
Diphosphine analogues of proton sponge: X-ray crystal structure of $[Pd(\eta^3\text{-allyl})(dppn)]BF_4 \cdot CH_2Cl_2$ (dppn = 1,8-bis(diphenylphosphino)naphthalene) (S.L. James, A.G. Orpen and P.G. Pringle), 299
Aluminium
New aspects of the formation of the primary product of the Fischer–Hafner synthesis under standard laboratory conditions: crystal structure of $[(C_6H_6)_2Cr][Al_3OCl_8]$ (A. Fischer), 291
Ansa-metallocene
Hetero-*ansa*-metallocenes: I. Synthesis of the novel [1]-borylidene-bridged *ansa*-zirconocene dichloride (K.A. Rufanov, V.V. Kotov, N.B. Kazennova, D.A. Lemenovskii, E.V. Avtomonov and J. Lorberth), 287
Antimony
Novel coupling reaction of pentaarylantimony with carbon electrophiles (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 39
α-olefins
Synthesis, characterization and reactivity of amido titanium and zirconium complexes (H. Mack and M.S. Eisen), 81
Arene
New aspects of the formation of the primary product of the Fischer–Hafner synthesis under standard laboratory conditions: crystal structure of $[(C_6H_6)_2Cr][Al_3OCl_8]$ (A. Fischer), 291
Arsenic
Polysulfonylamine LXXV. Komplexierung eines dimeren Diorganozinn(IV)-(amid)hydroxids mit Neutralliganden: Synthese von $[Me_2Sn(\mu\text{-}OH)\{N(SO_2Me)_2\}(L)]_2$ (L = HMPA, Ph_3PO, Ph_3AsO) und Kristallstrukturen der Komplexe mit L = HMPA und Ph_3PO (A. Wirth, D. Henschel, P.G. Jones und A. Blaschette), 167
Benchrotrenic alkenes
Hydroboration, followed by water addition of benchrotrenic alkenes. Formal dihydrogen addition (B. Caro, M.-C. Sénéchal-Tocquer, D. Sénéchal and F. Robin-le Guen), 283
Bifurcated H-bonds
Chemie polyfunktioneller Moleküle. CXXII. Das komplexchemische Verhalten von Bis(diphenylphosphino)amin gegenüber Dieisennonacarbonyl und Reaktionen von $[Fe_2(CO)_6(\mu\text{-}CO)(\mu\text{-}Ph_2P\text{–}NH\text{–}PPh_2)] \cdot THF$ (J. Ellermann, P. Gabold, F.A. Knoch, M. Moll, D. Pohl, J. Sutter und W. Bauer), 89
Bimetallic system
Hydroformylation of olefins catalysed with bimetallic systems: $HRh\{P(OPh)_3\}_4 + cp_2ZrH(CH_2PPh_2)$ and $HRh(CO)\{P(OPh)_3\}_3 + cp_2ZrH(CH_2PPh_2)$ (A.M. Trzeciak, J.J. Ziółkowski and R. Choukroun), 145
Bipyridyl complexes
Electro- and spectroelectrochemistry of platinum(II) bipyridine complexes and related species (L. Yang, F.L. Wimmer, S. Wimmer, J. Zhao and P.S. Braterman), 1
Boron
Hetero-*ansa*-metallocenes: I. Synthesis of the novel [1]-borylidene-bridged *ansa*-zirconocene dichloride (K.A. Rufanov, V.V. Kotov, N.B. Kazennova, D.A. Lemenovskii, E.V. Avtomonov and J. Lorberth), 287
Hydroboration, followed by water addition of benchrotrenic alkenes. Formal dihydrogen addition (B. Caro, M.-C. Sénéchal-Tocquer, D. Sénéchal and F. Robin-le Guen), 283
The palladium-catalyzed cross-coupling reaction of 9-organothio-9-borabicyclo[3.3.1]nonanes with organic electrophiles: synthesis of unsymmetrical sulfides (T. Ishiyama, M. Mori, A. Suzuki and N. Miyaura), 225
Boron bridges
Synthesis, characterization and solution properties of organorhodium complexes derived from rhodoximes with one or two diphenylboron moieties in the oxime bridges (F. Asaro, R. Dreos, S.

Geremia, G. Nardin, G. Pellizer, L. Randaccio, G. Tauzher and S. Vuano), 71
Bridged *ansa*-metallocene
Studies on organolanthanide complexes. Part 61. Synthesis and characterization of 3-oxa-pentamethylene bridged *ansa*-metallocene chlorides of rare earth elements (C. Qian, G. Zou and L. Gao), 23
Bridging ligand
Reaction of $[Fe_3(CO)_{12}]$ with bidentate phosphines: redox behavior of products (E. Stein and F.Y. Fujiwara), 31
Synthesis and characterisation of monomeric and dimeric 2-substituted η^3-bonded butadienyl complexes of molybdenum(II) (A.G.W. Hodson and S.M. Saunders), 207
Bridging Ligand
Hetero-*ansa*-metallocenes: I. Synthesis of the novel [1]-borylidene-bridged *ansa*-zirconocene dichloride (K.A. Rufanov, V.V. Kotov, N.B. Kazennova, D.A. Lemenovskii, E.V. Avtomonov and J. Lorberth), 287
Butadienyl
Synthesis and characterisation of monomeric and dimeric 2-substituted η^3-bonded butadienyl complexes of molybdenum(II) (A.G.W. Hodson and S.M. Saunders), 207
Carbonato complexes
Electrochemical synthesis and reactivity of carbonato–niobocene complexes (S. El Krami, Y. Mourad, D. Lucas, Y. Mugnier, A. Antiñolo, M. Fajardo, S.G. Yuste and A. Otero), 125
Carbon dioxide
Electrochemical synthesis and reactivity of carbonato–niobocene complexes (S. El Krami, Y. Mourad, D. Lucas, Y. Mugnier, A. Antiñolo, M. Fajardo, S.G. Yuste and A. Otero), 125
Carbon paste electrode
Redox-catalytic reduction of dioxygen by cobaltocene at a carbon paste electrode: application to trace analysis (S. Rapicault, F. Paday and C. Degrand), 139
Carbonyl
Hydroboration, followed by water addition of benchrotrenic alkenes. Formal dihydrogen addition (B. Caro, M.-C. Sénéchal-Tocquer, D. Sénéchal and F. Robin-le Guen), 283
Oligophosphan-Liganden XLII. Carbonyl(cyclopentadienyl)rhenium(I)-Komplexe η^1-$C_5H_5Re(CO)_3L_2$ mit fluktuierender sp^3- und starrer sp^2-Koordination des C_5H_5-Rings (L. Dahlenburg, G. Hillmann, M. Ernst, M. Moll und F. Knoch), 115
Synthesis and X-ray crystal structures of phosphido-bridged heterobimetallic complexes: $[FeIr(\mu\text{-}CO)(CO)_4(\mu\text{-}P^tBu_2)(^tBu_2PH)]$ and $[CoIr(CO)_5(\mu\text{-}H)(\mu\text{-}P^tBu_2)(^tBu_2PH)]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 191
Triosmium carbonyl complexes containing bridging ligands derived from *ortho*-functionalized anilines (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and D. Ardura), 133
Carbonylation
A mechanistic study of thermal $Fe(CO)_5$ mediated CO insertion into vinylcyclopropanes (M.M. Schulze and U. Gockel), 155
Catalysis
Asymmetrische Katalyse 104. Doppelte Stereoselektion in Rhodium-Katalysatoren bei der enantioselektiven Hydrierung von (*Z*)-α-*N*-Acetylaminozimtsäure (H. Brunner und L. Wagenhuber), 259
Designing a catalytic synthesis of 4-methylcoumarin from *ortho*-iodophenyl 3-butenoate: ring closure and isomerization control (M. Catellani, G.P. Chiusoli, G. Marzolini and E. Rossi), 65
Redox-catalytic reduction of dioxygen by cobaltocene at a carbon paste electrode: application to trace analysis (S. Rapicault, F. Paday and C. Degrand), 139
Unverbrückte Fluorenylkomplexe des Typs $(C_5H_5)(9\text{-}R\text{-}C_{13}H_8)ZrCl_2$ (R = Me_3Si, Alkyl, Aryl): Synthese, Charakterisierung und Anwendung als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 15
Unverbrückte (Pentamethylcyclopentadienyl)(fluorenyl)-Komplexe des Zirconiums und Hafniums. Die Molekülstrukturen von $(C_5Me_5)(2,7\text{-}Me_2\text{-}C_{13}H_7)MCl_2$ (M = Zr, Hf) (M.A. Schmid, H.G. Alt und W. Milius), 9
Cationic complexes
New square-planar cationic Pt(II) complexes containing a methyl and an olefin in *cis* position (I. Orabona, A. Panunzi and F. Ruffo), 295
Cerium
Cerium(III) chloride mediated addition of mono- and dilithium ferrocene to (+)-camphor and (−)-fenchone: synthesis and structure of new chiral ferrocenyl alcohols and diols (V. Dimitrov, M. Genov, S. Simova and A. Linden), 213
Chiral
Enantiodifferentiation of olefinic groups in *cis*-1,2-divinylcyclohexane (K. Nordström, C. Moberg and A. Heumann), 233
Chirality
Asymmetrische Katalyse 104. Doppelte Stereoselektion in Rhodium-Katalysatoren bei der enantioselektiven Hydrierung von (*Z*)-α-*N*-Acetylaminozimtsäure (H. Brunner und L. Wagenhuber), 259
Cerium(III) chloride mediated addition of mono- and dilithium ferrocene to (+)-camphor and (−)-fenchone: synthesis and structure of new chiral ferrocenyl alcohols and diols (V. Dimitrov, M. Genov, S. Simova and A. Linden), 213
Chromium
Hydroboration, followed by water addition of benchrotrenic alkenes. Formal dihydrogen addition (B. Caro, M.-C. Sénéchal-Tocquer, D. Sénéchal and F. Robin-le Guen), 283
New aspects of the formation of the primary product of the Fischer–Hafner synthesis under standard laboratory conditions: crystal structure of $[(C_6H_6)_2Cr][Al_3OCl_8]$ (A. Fischer), 291
Cobalt
Synthesis and X-ray crystal structures of phosphido-bridged heterobimetallic complexes: $[FeIr(\mu\text{-}CO)(CO)_4(\mu\text{-}P^tBu_2)(^tBu_2PH)]$ and $[CoIr(CO)_5(\mu\text{-}H)(\mu\text{-}P^tBu_2)(^tBu_2PH)]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 191
Cobaltocenium
Redox-catalytic reduction of dioxygen by cobaltocene at a carbon paste electrode: application to trace analysis (S. Rapicault, F. Paday and C. Degrand), 139
Cone angle
Steric effects along ligands in bis(trimethylsilyl)cyclopentadienyl complexes of ruthenium: analysis by radial profiles (J.M. Smith, S.C. Pelly and N.J. Coville), 159
Conformation
Enantiodifferentiation of olefinic groups in *cis*-1,2-divinylcyclohexane (K. Nordström, C. Moberg and A. Heumann), 233
Coumarin
Designing a catalytic synthesis of 4-methylcoumarin from *ortho*-iodophenyl 3-butenoate: ring closure and isomerization control (M. Catellani, G.P. Chiusoli, G. Marzolini and E. Rossi), 65
Crystal structure
Cerium(III) chloride mediated addition of mono- and dilithium ferrocene to (+)-camphor and (−)-fenchone: synthesis and structure of new chiral ferrocenyl alcohols and diols (V. Dimitrov, M. Genov, S. Simova and A. Linden), 213
New aspects of the formation of the primary product of the Fischer–Hafner synthesis under standard laboratory conditions: crystal structure of $[(C_6H_6)_2Cr][Al_3OCl_8]$ (A. Fischer), 291
Organolanthanoids. XX. The synthesis of $YbCp_2Cl(THF)_{0.5}$ (Cp = cyclopentadienyl; THF = tetrahydrofuran), $YbCp_2X(THF)$ (X =

Br or I), and $(YbCp_2X)_2$ (X = Cl, Br, or I) by oxidation of $YbCp_2$ with metal and organic halides, and the determination of the X-ray crystal structure of $YbCp_2I(THF)$ (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 247

Polysulfonylamine LXXV. Komplexierung eines dimeren Diorganozinn(IV)-(amid)hydroxids mit Neutralliganden: Synthese von $[Me_2Sn(\mu\text{-}OH)\{N(SO_2Me)_2\}(L)]_2$ (L = HMPA, Ph_3PO, Ph_3AsO) und Kristallstrukturen der Komplexe mit L = HMPA und Ph_3PO (A. Wirth, D. Henschel, P.G. Jones und A. Blaschette), 167

Synthesis and structure of $[Tl(C_6F_5)_2Cl\{Au(C_6F_5)_3(PPh_2CH_2PPh_2(O))\}_2]$ (B. Alvarez, E.J. Fernández, M.C. Gimeno, P.G. Jones, A. Laguna, M. Laguna and J.M. López-de-Luzuriaga), 109

Synthesis and X-ray crystal structures of phosphido-bridged heterobimetallic complexes: $[FeIr(\mu\text{-}CO)(CO)_4(\mu\text{-}P^tBu_2)(^tBu_2PH)]$ and $[CoIr(CO)_5(\mu\text{-}H)(\mu\text{-}P^tBu_2)(^tBu_2PH)]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 191

Zur Reaktion von 1,1'-Bis(alkylaminomethylen)ferrocenen mit Benzoylisothiocyanat (R. Richter, O. Seidelmann, L. Beyer und H. Plenio), 199

Cyclization

Designing a catalytic synthesis of 4-methylcoumarin from *ortho*-iodophenyl 3-butenoate: ring closure and isomerization control (M. Catellani, G.P. Chiusoli, G. Marzolini and E. Rossi), 65

Cyclopentadienyl

Cerium(III) chloride mediated addition of mono- and dilithium ferrocene to (+)-camphor and (−)-fenchone: synthesis and structure of new chiral ferrocenyl alcohols and diols (V. Dimitrov, M. Genov, S. Simova and A. Linden), 213

Electrochemical synthesis and reactivity of carbonato–niobocene complexes (S. El Krami, Y. Mourad, D. Lucas, Y. Mugnier, A. Antiñolo, M. Fajardo, S.G. Yuste and A. Otero), 125

Iron–rhodium complexes with a single bridging diphosphine ligand: the crystal structure of $[CpFe(\mu\text{-}CO)_2(\mu\text{-}dppm)RhI_2]$ (I. Mansfield, N. Nawar, A.K. Smith and N.C. Tong), 255

Oligophosphan-Liganden XLII. Carbonyl(cyclopentadienyl)rhenium(I)-Komplexe $\eta^1\text{-}C_5H_5Re(CO)_3L_2$ mit fluktuierender sp^3- und starrer sp^2-Koordination des C_5H_5-Rings (L. Dahlenburg, G. Hillmann, M. Ernst, M. Moll und F. Knoch), 115

Organolanthanoids. XX. The synthesis of $YbCp_2Cl(THF)_{0.5}$ (Cp = cyclopentadienyl; THF = tetrahydrofuran), $YbCp_2X(THF)$ (X = Br or I), and $(YbCp_2X)_2$ (X = Cl, Br, or I) by oxidation of $YbCp_2$ with metal and organic halides, and the determination of the X-ray crystal structure of $YbCp_2I(THF)$ (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 247

Steric effects along ligands in bis(trimethylsilyl)cyclopentadienyl complexes of ruthenium: analysis by radial profiles (J.M. Smith, S.C. Pelly and N.J. Coville), 159

Cyclopropanation

Trimethylsilylketene dialkylacetals in organic synthesis: reactions with alkyldiazoacetates (G.S. Zaitseva, O.P. Novikova, E.V. Grigoriev, A.V. Kisin, E.V. Avtomonov and J. Lorberth), 175

Diene

Enantiodifferentiation of olefinic groups in *cis*-1,2-divinylcyclohexane (K. Nordström, C. Moberg and A. Heumann), 233

Dihydrogen

Hydroboration, followed by water addition of benchrotrenic alkenes. Formal dihydrogen addition (B. Caro, M.-C. Sénéchal-Tocquer, D. Sénéchal and F. Robin-le Guen), 283

β-Diketone

Organomercury(II) and diorganothallium(III) derivatives of 4-acylpyrazol-5-ones (M.F. Mahon, K.C. Molloy, B.A. Omotowa and M.A. Mesubi), 239

Dimer

Synthesis and characterisation of monomeric and dimeric 2-substituted η^3-bonded butadienyl complexes of molybdenum(II) (A.G.W. Hodson and S.M. Saunders), 207

Dimesylamide

Polysulfonylamine LXXV. Komplexierung eines dimeren Diorganozinn(IV)-(amid)hydroxids mit Neutralliganden: Synthese von $[Me_2Sn(\mu\text{-}OH)\{N(SO_2Me)_2\}(L)]_2$ (L = HMPA, Ph_3PO, Ph_3AsO) und Kristallstrukturen der Komplexe mit L = HMPA und Ph_3PO (A. Wirth, D. Henschel, P.G. Jones und A. Blaschette), 167

Dioxygen

Redox-catalytic reduction of dioxygen by cobaltocene at a carbon paste electrode: application to trace analysis (S. Rapicault, F. Paday and C. Degrand), 139

Diphenylphosphine

Asymmetrische Katalyse 104. Doppelte Stereoselektion in Rhodium-Katalysatoren bei der enantioselektiven Hydrierung von (*Z*)-α-*N*-Acetylaminozimtsäure (H. Brunner und L. Wagenhuber), 259

Diphosphazane

Chemie polyfunktioneller Moleküle. CXXII. Das komplexchemische Verhalten von Bis(diphenylphosphino)amin gegenüber Dieisennonacarbonyl und Reaktionen von $[Fe_2(CO)_6(\mu\text{-}CO)(\mu\text{-}Ph_2P\text{-}NH\text{-}PPh_2)]\cdot THF$ (J. Ellermann, P. Gabold, F.A. Knoch, M. Moll, D. Pohl, J. Sutter und W. Bauer), 89

Diphosphine

Diphosphine analogues of proton sponge: X-ray crystal structure of $[Pd(\eta^3\text{-allyl})(dppn)]BF_4\cdot CH_2Cl_2$ (dppn = 1,8-bis(diphenylphosphino)naphthalene) (S.L. James, A.G. Orpen and P.G. Pringle), 299

Iron–rhodium complexes with a single bridging diphosphine ligand: the crystal structure of $[CpFe(\mu\text{-}CO)_2(\mu\text{-}dppm)RhI_2]$ (I. Mansfield, N. Nawar, A.K. Smith and N.C. Tong), 255

Reaction of $[Fe_3(CO)_{12}]$ with bidentate phosphines: redox behavior of products (E. Stein and F.Y. Fujiwara), 31

Electrochemical assay

Redox-catalytic reduction of dioxygen by cobaltocene at a carbon paste electrode: application to trace analysis (S. Rapicault, F. Paday and C. Degrand), 139

Electrochemistry

Electro- and spectroelectrochemistry of platinum(II) bipyridine complexes and related species (L. Yang, F.L. Wimmer, S. Wimmer, J. Zhao and P.S. Braterman), 1

Electrochemical synthesis and reactivity of carbonato–niobocene complexes (S. El Krami, Y. Mourad, D. Lucas, Y. Mugnier, A. Antiñolo, M. Fajardo, S.G. Yuste and A. Otero), 125

Reaction of $[Fe_3(CO)_{12}]$ with bidentate phosphines: redox behavior of products (E. Stein and F.Y. Fujiwara), 31

Electrophilic attack

New square-planar cationic Pt(II) complexes containing a methyl and an olefin in *cis* position (I. Orabona, A. Panunzi and F. Ruffo), 295

Enantioselective

Enantiodifferentiation of olefinic groups in *cis*-1,2-divinylcyclohexane (K. Nordström, C. Moberg and A. Heumann), 233

Ethylene complexes

The bonding of acetylene and ethylene in high-valent and low-valent transition metal compounds (U. Pidun and G. Frenking), 269

Ferrocene

Zur Reaktion von 1,1'-Bis(alkylaminomethylen)ferrocenen mit Benzoylisothiocyanat (R. Richter, O. Seidelmann, L. Beyer und H. Plenio), 199

Ferrocenophane

Zur Reaktion von 1,1'-Bis(alkylaminomethylen)ferrocenen mit Ben-

zoylisothiocyanat (R. Richter, O. Seidelmann, L. Beyer und H. Plenio), 199

Fluorenyl
Unverbrückte Fluorenylkomplexe des Typs $(C_5H_5)(9\text{-}R\text{-}C_{13}H_8)ZrCl_2$ (R = Me_3Si, Alkyl, Aryl): Synthese, Charakterisierung und Anwendung als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 15
Unverbrückte (Pentamethylcyclopentadienyl)(fluorenyl)-Komplexe des Zirconiums und Hafniums. Die Molekülstrukturen von $(C_5Me_5)(2,7\text{-}Me_2\text{-}C_{13}H_7)MCl_2$ (M = Zr, Hf) (M.A. Schmid, H.G. Alt und W. Milius), 9

Gold
Synthesis and structure of $[Tl(C_6F_5)_2Cl\{Au(C_6F_5)_3(PPh_2CH_2PPh_2(O))\}_2]$ (B. Alvarez, E.J. Femández, M.C. Gimeno, P.G. Jones, A. Laguna, M. Laguna and J.M. López-de-Luzuriaga), 109

Group 4
Synthesis, characterization and reactivity of amido titanium and zirconium complexes (H. Mack and M.S. Eisen), 81

Hafnium
Unverbrückte (Pentamethylcyclopentadienyl)(fluorenyl)-Komplexe des Zirconiums und Hafniums. Die Molekülstrukturen von $(C_5Me_5)(2,7\text{-}Me_2\text{-}C_{13}H_7)MCl_2$ (M = Zr, Hf) (M.A. Schmid, H.G. Alt und W. Milius), 9

Halooxometallate
New aspects of the formation of the primary product of the Fischer–Hafner synthesis under standard laboratory conditions: crystal structure of $[(C_6H_6)_2Cr][Al_3OCl_8]$ (A. Fischer), 291

Heterobimetallics
Iron–rhodium complexes with a single bridging diphosphine ligand: the crystal structure of $[CpFe(\mu\text{-}CO)_2(\mu\text{-}dppm)RhI_2]$ (I. Mansfield, N. Nawar, A.K. Smith and N.C. Tong), 255

Hydroboration
Hydroboration, followed by water addition of benchrotrenic alkenes. Formal dihydrogen addition (B. Caro, M.-C. Sénéchal-Tocquer, D. Sénéchal and F. Robin-le Guen), 283

Hydroformylation
Hydroformylation of olefins catalysed with bimetallic systems: $HRh\{P(OPh)_3\}_4 + cp_2ZrH(CH_2PPh_2)$ and $HRh(CO)\{P(OPh)_3\}_3 + cp_2ZrH(CH_2PPh_2)$ (A.M. Trzeciak, J.J. Ziółkowski and R. Choukroun), 145

Hydrogenation
Asymmetrische Katalyse 104. Doppelte Stereoselektion in Rhodium-Katalysatoren bei der enantioselektiven Hydrierung von (Z)-α-*N*-Acetylaminozimtsäure (H. Brunner und L. Wagenhuber), 259

Hydroxide
Polysulfonylamine LXXV. Komplexierung eines dimeren Diorganozinn(IV)-(amid)hydroxids mit Neutralliganden: Synthese von $[Me_2Sn(\mu\text{-}OH)\{N(SO_2Me)_2\}(L)]_2$ (L = HMPA, Ph_3PO, Ph_3AsO) und Kristallstrukturen der Komplexe mit L = HMPA und Ph_3PO (A. Wirth, D. Henschel, P.G. Jones und A. Blaschette), 167

Insertion reaction
A mechanistic study of thermal $Fe(CO)_5$ mediated CO insertion into vinylcyclopropanes (M.M. Schulze and U. Gockel), 155

Iodine
Iron–rhodium complexes with a single bridging diphosphine ligand: the crystal structure of $[CpFe(\mu\text{-}CO)_2(\mu\text{-}dppm)RhI_2]$ (I. Mansfield, N. Nawar, A.K. Smith and N.C. Tong), 255

Iridium
Synthesis and X-ray crystal structures of phosphido-bridged heterobimetallic complexes: $[FeIr(\mu\text{-}CO)(CO)_4(\mu\text{-}P^tBu_2)(^tBu_2PH)]$ and $[CoIr(CO)_5(\mu\text{-}H)(\mu\text{-}P^tBu_2)(^tBu_2PH)]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 191

Iron
A mechanistic study of thermal $Fe(CO)_5$ mediated CO insertion into vinylcyclopropanes (M.M. Schulze and U. Gockel), 155
Cerium(III) chloride mediated addition of mono- and dilithium ferrocene to (+)-camphor and (−)-fenchone: synthesis and structure of new chiral ferrocenyl alcohols and diols (V. Dimitrov, M. Genov, S. Simova and A. Linden), 213
Chemie polyfunktioneller Moleküle. CXXII. Das komplexchemische Verhalten von Bis(diphenylphosphino)amin gegenüber Dieisennonacarbonyl und Reaktionen von $[Fe_2(CO)_6(\mu\text{-}CO)(\mu\text{-}Ph_2P\text{-}NH\text{-}PPh_2)]\cdot THF$ (J. Ellermann, P. Gabold, F.A. Knoch, M. Moll, D. Pohl, J. Sutter und W. Bauer), 89
Iron–rhodium complexes with a single bridging diphosphine ligand: the crystal structure of $[CpFe(\mu\text{-}CO)_2(\mu\text{-}dppm)RhI_2]$ (I. Mansfield, N. Nawar, A.K. Smith and N.C. Tong), 255
Reaction of $[Fe_3(CO)_{12}]$ with bidentate phosphines: redox behavior of products (E. Stein and F.Y. Fujiwara), 31
Synthesis and X-ray crystal structures of phosphido-bridged heterobimetallic complexes: $[FeIr(\mu\text{-}CO)(CO)_4(\mu\text{-}P^tBu_2)(^tBu_2PH)]$ and $[CoIr(CO)_5(\mu\text{-}H)(\mu\text{-}P^tBu_2)(^tBu_2PH)]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 191

Iron carbonyl
A mechanistic study of thermal $Fe(CO)_5$ mediated CO insertion into vinylcyclopropanes (M.M. Schulze and U. Gockel), 155

Ketalcyclopropene
Synthesis and characterization of tungsten oxo alkylidene complexes via the reaction of $WCl_2(O)[PX_3]_3$ (PX_3 = $P(OMe)_3$, PMe_2Ph, $PMePh_2$) with 4,8-dioxaspiro[2,5]oct-1-ene (ketalcyclopropene) (F.J. De la Mata), 183

Ketene dialkylacetals
Trimethylsilylketene dialkylacetals in organic synthesis: reactions with alkyldiazoacetates (G.S. Zaitseva, O.P. Novikova, E.V. Grigoriev, A.V. Kisin, E.V. Avtomonov and J. Lorberth), 175

Kinetics
Synthesis, characterization and solution properties of organorhodium complexes derived from rhodoximes with one or two diphenylboron moieties in the oxime bridges (F. Asaro, R. Dreos, S. Geremia, G. Nardin, G. Pellizer, L. Randaccio, G. Tauzher and S. Vuano), 71

La
Studies on organolanthanide complexes. Part 61. Synthesis and characterization of 3-oxa-pentamethylene bridged *ansa*-metallocene chlorides of rare earth elements (C. Qian, G. Zou and L. Gao), 23

Lanthanide
Organolanthanoids. XX. The synthesis of $YbCp_2Cl(THF)_{0.5}$ (Cp = cyclopentadienyl; THF = tetrahydrofuran), $YbCp_2X(THF)$ (X = Br or I), and $(YbCp_2X)_2$ (X = Cl, Br, or I) by oxidation of $YbCp_2$ with metal and organic halides, and the determination of the X-ray crystal structure of $YbCp_2I(THF)$ (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 247

Linkage isomerism
Synthesis, structure and spectral properties of $[(HgPh)_2TbSMe]$; a dinuclear 2-*S*-methylthiobarbiturate of phenylmercury(II) exhibiting linkage isomerism (R. Carballo, J.S. Casas, M.S. García-Tasende, A. Sánchez, J. Sordo and E.M. Vázquez-López), 49

Mercury
Organomercury(II) and diorganothallium(III) derivatives of 4-acylpyrazol-5-ones (M.F. Mahon, K.C. Molloy, B.A. Omotowa and M.A. Mesubi), 239
Synthesis, structure and spectral properties of $[(HgPh)_2TbSMe]$; a dinuclear 2-*S*-methylthiobarbiturate of phenylmercury(II) exhibiting linkage isomerism (R. Carballo, J.S. Casas, M.S. García-Tasende, A. Sánchez, J. Sordo and E.M. Vázquez-López), 49

Metallocenes
Synthesis, characterization and reactivity of amido titanium and zirconium complexes (H. Mack and M.S. Eisen), 81
Molybdenum
Synthesis and characterisation of monomeric and dimeric 2-substituted η^3-bonded butadienyl complexes of molybdenum(II) (A.G.W. Hodson and S.M. Saunders), 207
Nd
Studies on organolanthanide complexes. Part 61. Synthesis and characterization of 3-oxa-pentamethylene bridged *ansa*-metallocene chlorides of rare earth elements (C. Qian, G. Zou and L. Gao), 23
Niobium
Electrochemical synthesis and reactivity of carbonato–niobocene complexes (S. El Krami, Y. Mourad, D. Lucas, Y. Mugnier, A. Antiñolo, M. Fajardo, S.G. Yuste and A. Otero), 125
NMR spectra
Synthesis, characterization and solution properties of organorhodium complexes derived from rhodoximes with one or two diphenylboron moieties in the oxime bridges (F. Asaro, R. Dreos, S. Geremia, G. Nardin, G. Pellizer, L. Randaccio, G. Tauzher and S. Vuano), 71
Olefin
New square-planar cationic Pt(II) complexes containing a methyl and an olefin in *cis* position (I. Orabona, A. Panunzi and F. Ruffo), 295
Olefins
Hydroformylation of olefins catalysed with bimetallic systems: $HRh\{P(OPh)_3\}_4 + cp_2ZrH(CH_2PPh_2)$ and $HRh(CO)\{P(OPh)_3\}_3 + cp_2ZrH(CH_2PPh_2)$ (A.M. Trzeciak, J.J. Ziółkowski and R. Choukroun), 145
Organolanthanoidfluorides
Metallorganische Verbindungen der Lanthanoide CIX. Organolanthanoidfluoride: Synthese und Strukturaufklärung von trimerem Bis(*tert.*-butylcyclopentadienyl)samarium(III)-fluorid (H. Schumann, M.R. Keitsch, J. Winterfeld und J. Demtschuk), 279
Organophosphine
Chemie polyfunktioneller Moleküle. CXXII. Das komplexchemische Verhalten von Bis(diphenylphosphino)amin gegenüber Dieisennonacarbonyl und Reaktionen von $[Fe_2(CO)_6(\mu\text{-}CO)(\mu\text{-}Ph_2P\text{–}NH\text{–}PPh_2)] \cdot THF$ (J. Ellermann, P. Gabold, F.A. Knoch, M. Moll, D. Pohl, J. Sutter und W. Bauer), 89
Osmium
Triosmium carbonyl complexes containing bridging ligands derived from *ortho*-functionalized anilines (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and D. Ardura), 133
Oxidation
Organolanthanoids. XX. The synthesis of $YbCp_2Cl(THF)_{0.5}$ (Cp = cyclopentadienyl; THF = tetrahydrofuran), $YbCp_2X(THF)$ (X = Br or I), and $(YbCp_2X)_2$ (X = Cl, Br, or I) by oxidation of $YbCp_2$ with metal and organic halides, and the determination of the X-ray crystal structure of $YbCp_2I(THF)$ (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 247
Oxo
Synthesis and characterization of tungsten oxo alkylidene complexes via the reaction of $WCl_2(O)[PX_3]_3$ ($PX_3 = P(OMe)_3$, PMe_2Ph, $PMePh_2$) with 4,8-dioxaspiro[2,5]oct-1-ene (ketalcyclopropene) (F.J. De la Mata), 183
Palladium
Designing a catalytic synthesis of 4-methylcoumarin from *ortho*-iodophenyl 3-butenoate: ring closure and isomerization control (M. Catellani, G.P. Chiusoli, G. Marzolini and E. Rossi), 65
Diphosphine analogues of proton sponge: X-ray crystal structure of $[Pd(\eta^3\text{-allyl})(dppn)]BF_4 \cdot CH_2Cl_2$ (dppn = 1,8-bis(diphenylphosphino)naphthalene) (S.L. James, A.G. Orpen and P.G. Pringle), 299
Enantiodifferentiation of olefinic groups in *cis*-1,2-divinylcyclohexane (K. Nordström, C. Moberg and A. Heumann), 233
Novel coupling reaction of pentaarylantimony with carbon electrophiles (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 39
The palladium-catalyzed cross-coupling reaction of 9-organothio-9-borabicyclo[3.3.1]nonanes with organic electrophiles: synthesis of unsymmetrical sulfides (T. Ishiyama, M. Mori, A. Suzuki and N. Miyaura), 225
π-bonding
The bonding of acetylene and ethylene in high-valent and low-valent transition metal compounds (U. Pidun and G. Frenking), 269
Pentaflorophenyl
Synthesis and structure of $[Tl(C_6F_5)_2Cl\{Au(C_6F_5)_3(PPh_2CH_2PPh_2(O))\}_2]$ (B. Alvarez, E.J. Fernández, M.C. Gimeno, P.G. Jones, A. Laguna, M. Laguna and J.M. López-de-Luzuriaga), 109
Phenylmercury(II) complexes
Synthesis, structure and spectral properties of $[(HgPh)_2TbSMe]$; a dinuclear 2-*S*-methylthiobarbiturate of phenylmercury(II) exhibiting linkage isomerism (R. Carballo, J.S. Casas, M.S. García-Tasende, A. Sánchez, J. Sordo and E.M. Vázquez-López), 49
Phosphido-bridged
Synthesis and X-ray crystal structures of phosphido-bridged heterobimetallic complexes: $[FeIr(\mu\text{-}CO)(CO)_4(\mu\text{-}P^tBu_2)(^tBu_2PH)]$ and $[CoIr(CO)_5(\mu\text{-}H)(\mu\text{-}P^tBu_2)(^tBu_2PH)]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 191
Phosphine
Oligophosphan-Liganden XLII. Carbonyl(cyclopentadienyl)rhenium(I)-Komplexe $\eta^1\text{-}C_5H_5Re(CO)_3L_2$ mit fluktuierender sp^3- und starrer sp^2-Koordination des C_5H_5-Rings (L. Dahlenburg, G. Hillmann, M. Ernst, M. Moll und F. Knoch), 115
Phosphorus
Polysulfonylamine LXXV. Komplexierung eines dimeren Diorganozinn(IV)-(amid)hydroxids mit Neutralliganden: Synthese von $[Me_2Sn(\mu\text{-}OH)\{N(SO_2Me)_2\}(L)]_2$ (L = HMPA, Ph_3PO, Ph_3AsO) und Kristallstrukturen der Komplexe mit L = HMPA und Ph_3PO (A. Wirth, D. Henschel, P.G. Jones und A. Blaschette), 167
Platinum
Electro- and spectroelectrochemistry of platinum(II) bipyridine complexes and related species (L. Yang, F.L. Wimmer, S. Wimmer, J. Zhao and P.S. Braterman), 1
New square-planar cationic Pt(II) complexes containing a methyl and an olefin in *cis* position (I. Orabona, A. Panunzi and F. Ruffo), 295
Polymerization
Synthesis, characterization and reactivity of amido titanium and zirconium complexes (H. Mack and M.S. Eisen), 81
Unverbrückte Fluorenylkomplexe des Typs $(C_5H_5)(9\text{-}R\text{-}C_{13}H_8)ZrCl_2$ (R = Me_3Si, Alkyl, Aryl): Synthese, Charakterisierung und Anwendung als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 15
Unverbrückte (Pentamethylcyclopentadienyl)(fluorenyl)-Komplexe des Zirconiums und Hafniums. Die Molekülstrukturen von $(C_5Me_5)(2,7\text{-}Me_2\text{-}C_{13}H_7)MCl_2$ (M = Zr, Hf) (M.A. Schmid, H.G. Alt und W. Milius), 9
Radial profile
Steric effects along ligands in bis(trimethylsilyl)cyclopentadienyl complexes of ruthenium: analysis by radial profiles (J.M. Smith, S.C. Pelly and N.J. Coville), 159

Radical anion complexes
Electro- and spectroelectrochemistry of platinum(II) bipyridine complexes and related species (L. Yang, F.L. Wimmer, S. Wimmer, J. Zhao and P.S. Braterman), 1
Rare earth
Organolanthanoids. XX. The synthesis of $YbCp_2Cl(THF)_{0.5}$ (Cp = cyclopentadienyl; THF = tetrahydrofuran), $YbCp_2X(THF)$ (X = Br or I), and $(YbCp_2X)_2$ (X = Cl, Br, or I) by oxidation of $YbCp_2$ with metal and organic halides, and the determination of the X-ray crystal structure of $YbCp_2I(THF)$ (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 247
Reduction
Electrochemical synthesis and reactivity of carbonato–niobocene complexes (S. El Krami, Y. Mourad, D. Lucas, Y. Mugnier, A. Antiñolo, M. Fajardo, S.G. Yuste and A. Otero), 125
Rhenium
Oligophosphan-Liganden XLII. Carbonyl(cyclopentadienyl) rhenium(I)-Komplexe η^1-$C_5H_5Re(CO)_3L_2$ mit fluktuierender sp^3- und starrer sp^2-Koordination des C_5H_5-Rings (L. Dahlenburg, G. Hillmann, M. Ernst, M. Moll und F. Knoch), 115
Rhodium
Asymmetrische Katalyse 104. Doppelte Stereoselektion in Rhodium-Katalysatoren bei der enantioselektiven Hydrierung von (Z)-α-N-Acetylaminozimtsäure (H. Brunner und L. Wagenhuber), 259
Enantiodifferentiation of olefinic groups in *cis*-1,2-divinylcyclohexane (K. Nordström, C. Moberg and A. Heumann), 233
Hydroformylation of olefins catalysed with bimetallic systems: $HRh\{P(OPh)_3\}_4 + cp_2ZrH(CH_2PPh_2)$ and $HRh(CO)\{P(OPh)_3\}_3 + cp_2ZrH(CH_2PPh_2)$ (A.M. Trzeciak, J.J. Ziółkowski and R. Choukroun), 145
Iron–rhodium complexes with a single bridging diphosphine ligand: the crystal structure of $[CpFe(\mu\text{-}CO)_2(\mu\text{-}dppm)RhI_2]$ (I. Mansfield, N. Nawar, A.K. Smith and N.C. Tong), 255
Synthesis, characterization and solution properties of organorhodium complexes derived from rhodoximes with one or two diphenylboron moieties in the oxime bridges (F. Asaro, R. Dreos, S. Geremia, G. Nardin, G. Pellizer, L. Randaccio, G. Tauzher and S. Vuano), 71
Rhodoximes
Synthesis, characterization and solution properties of organorhodium complexes derived from rhodoximes with one or two diphenylboron moieties in the oxime bridges (F. Asaro, R. Dreos, S. Geremia, G. Nardin, G. Pellizer, L. Randaccio, G. Tauzher and S. Vuano), 71
Ruthenium
Steric effects along ligands in bis(trimethylsilyl)cyclopentadienyl complexes of ruthenium: analysis by radial profiles (J.M. Smith, S.C. Pelly and N.J. Coville), 159
Samarium
Metallorganische Verbindungen der Lanthanoide CIX. Organolanthanoidfluoride: Synthese und Strukturaufklärung von trimerem Bis(*tert.*-butylcyclopentadienyl)samarium(III)-fluorid (H. Schumann, M.R. Keitsch, J. Winterfeld und J. Demtschuk), 279
Silicon
Trimethylsilylketene dialkylacetals in organic synthesis: reactions with alkyldiazoacetates (G.S. Zaitseva, O.P. Novikova, E.V. Grigoriev, A.V. Kisin, E.V. Avtomonov and J. Lorberth), 175
Sm
Studies on organolanthanide complexes. Part 61. Synthesis and characterization of 3-oxa-pentamethylene bridged *ansa*-metallocene chlorides of rare earth elements (C. Qian, G. Zou and L. Gao), 23
Solid angle
Steric effects along ligands in bis(trimethylsilyl)cyclopentadienyl complexes of ruthenium: analysis by radial profiles (J.M. Smith, S.C. Pelly and N.J. Coville), 159
Solvent
Novel coupling reaction of pentaarylantimony with carbon electrophiles (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 39
Spectroelectrochemistry
Electro- and spectroelectrochemistry of platinum(II) bipyridine complexes and related species (L. Yang, F.L. Wimmer, S. Wimmer, J. Zhao and P.S. Braterman), 1
Steric effect
Steric effects along ligands in bis(trimethylsilyl)cyclopentadienyl complexes of ruthenium: analysis by radial profiles (J.M. Smith, S.C. Pelly and N.J. Coville), 159
Structure
Diphosphine analogues of proton sponge: X-ray crystal structure of $[Pd(\eta^3\text{-allyl})(dppn)]BF_4 \cdot CH_2Cl_2$ (dppn = 1,8-bis(diphenylphosphino)naphthalene) (S.L. James, A.G. Orpen and P.G. Pringle), 299
Substituted anilines
Triosmium carbonyl complexes containing bridging ligands derived from *ortho*-functionalized anilines (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and D. Ardura), 133
Synthesis
Studies on organolanthanide complexes. Part 61. Synthesis and characterization of 3-oxa-pentamethylene bridged *ansa*-metallocene chlorides of rare earth elements (C. Qian, G. Zou and L. Gao), 23
Thallium
Organomercury(II) and diorganothallium(III) derivatives of 4-acylpyrazol-5-ones (M.F. Mahon, K.C. Molloy, B.A. Omotowa and M.A. Mesubi), 239
Synthesis and structure of $[Tl(C_6F_5)_2Cl\{Au(C_6F_5)_3(PPh_2CH_2PPh_2(O))\}_2]$ (B. Alvarez, E.J. Fernández, M.C. Gimeno, P.G. Jones, A. Laguna, M. Laguna and J.M. López-de-Luzuriaga), 109
Thiocyanate
Zur Reaktion von 1,1'-Bis(alkylaminomethylen)ferrocenen mit Benzoylisothiocyanat (R. Richter, O. Seidelmann, L. Beyer und H. Plenio), 199
Thiourea
Zur Reaktion von 1,1'-Bis(alkylaminomethylen)ferrocenen mit Benzoylisothiocyanat (R. Richter, O. Seidelmann, L. Beyer und H. Plenio), 199
Tin
Hetero-*ansa*-metallocenes: I. Synthesis of the novel [1]-borylidene-bridged *ansa*-zirconocene dichloride (K.A. Rufanov, V.V. Kotov, N.B. Kazennova, D.A. Lemenovskii, E.V. Avtomonov and J. Lorberth), 287
Polysulfonylamine LXXV. Komplexierung eines dimeren Diorganozinn(IV)-(amid)hydroxids mit Neutralliganden: Synthese von $[Me_2Sn(\mu\text{-}OH)\{N(SO_2Me)_2\}(L)]_2$ (L = HMPA, Ph_3PO, Ph_3AsO) und Kristallstrukturen der Komplexe mit L = HMPA und Ph_3PO (A. Wirth, D. Henschel, P.G. Jones und A. Blaschette), 167
Titanium
Synthesis, characterization and reactivity of amido titanium and zirconium complexes (H. Mack and M.S. Eisen), 81
Transmetallation
Hetero-*ansa*-metallocenes: I. Synthesis of the novel [1]-borylidene-bridged *ansa*-zirconocene dichloride (K.A. Rufanov, V.V. Kotov, N.B. Kazennova, D.A. Lemenovskii, E.V. Avtomonov and J. Lorberth), 287
Triosmium clusters
Triosmium carbonyl complexes containing bridging ligands derived

from *ortho*-functionalized anilines (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and D. Ardura), 133

Tungsten

Synthesis and characterization of tungsten oxo alkylidene complexes via the reaction of $WCl_2(O)[PX_3]_3$ (PX_3 = $P(OMe)_3$, PMe_2Ph, $PMePh_2$) with 4,8-dioxaspiro[2,5]oct-1-ene (ketalcyclopropene) (F.J. De la Mata), 183

Vinylcyclopropane

A mechanistic study of thermal $Fe(CO)_5$ mediated CO insertion into vinylcyclopropanes (M.M. Schulze and U. Gockel), 155

X-ray diffraction

Metallorganische Verbindungen der Lanthanoide CIX. Organolanthanoidfluoride: Synthese und Strukturaufklärung von trimerem Bis(*tert.*-butylcyclopentadienyl)samarium(III)-fluorid (H. Schumann, M.R. Keitsch, J. Winterfeld und J. Demtschuk), 279

New aspects of the formation of the primary product of the Fischer–Hafner synthesis under standard laboratory conditions: crystal structure of $[(C_6H_6)_2Cr][Al_3OCl_8]$ (A. Fischer), 291

Oligophosphan-Liganden XLII. Carbonyl(cyclopentadienyl)rhenium(I)-Komplexe η^1-$C_5H_5Re(CO)_3L_2$ mit fluktuierender sp^3- und starrer sp^2-Koordination des C_5H_5-Rings (L. Dahlenburg, G. Hillmann, M. Ernst, M. Moll und F. Knoch), 115

Organomercury(II) and diorganothallium(III) derivatives of 4-acylpyrazol-5-ones (M.F. Mahon, K.C. Molloy, B.A. Omotowa and M.A. Mesubi), 239

X-ray structure

Synthesis, structure and spectral properties of $[(HgPh)_2TbSMe]$; a dinuclear 2-*S*-methylthiobarbiturate of phenylmercury(II) exhibiting linkage isomerism (R. Carballo, J.S. Casas, M.S. García-Tasende, A. Sánchez, J. Sordo and E.M. Vázquez-López), 49

Triosmium carbonyl complexes containing bridging ligands derived from *ortho*-functionalized anilines (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and D. Ardura), 133

X-ray structures

Synthesis, characterization and solution properties of organorhodium complexes derived from rhodoximes with one or two diphenylboron moieties in the oxime bridges (F. Asaro, R. Dreos, S. Geremia, G. Nardin, G. Pellizer, L. Randaccio, G. Tauzher and S. Vuano), 71

Y

Studies on organolanthanide complexes. Part 61. Synthesis and characterization of 3-oxa-pentamethylene bridged *ansa*-metallocene chlorides of rare earth elements (C. Qian, G. Zou and L. Gao), 23

Yb

Studies on organolanthanide complexes. Part 61. Synthesis and characterization of 3-oxa-pentamethylene bridged *ansa*-metallocene chlorides of rare earth elements (C. Qian, G. Zou and L. Gao), 23

Ytterbium

Organolanthanoids. XX. The synthesis of $YbCp_2Cl(THF)_{0.5}$ (Cp = cyclopentadienyl; THF = tetrahydrofuran), $YbCp_2X(THF)$ (X = Br or I), and $(YbCp_2X)_2$ (X = Cl, Br, or I) by oxidation of $YbCp_2$ with metal and organic halides, and the determination of the X-ray crystal structure of $YbCp_2I(THF)$ (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 247

Zirconium

Hetero-*ansa*-metallocenes: I. Synthesis of the novel [1]-borylidene-bridged *ansa*-zirconocene dichloride (K.A. Rufanov, V.V. Kotov, N.B. Kazennova, D.A. Lemenovskii, E.V. Avtomonov and J. Lorberth), 287

Hydroformylation of olefins catalysed with bimetallic systems: $HRh\{P(OPh)_3\}_4$ + $cp_2ZrH(CH_2PPh_2)$ and $HRh(CO)\{P(OPh)_3\}_3$ + $cp_2ZrH(CH_2PPh_2)$ (A.M. Trzeciak, J.J. Ziółkowski and R. Choukroun), 145

Synthesis, characterization and reactivity of amido titanium and zirconium complexes (H. Mack and M.S. Eisen), 81

Unverbrückte Fluorenylkomplexe des Typs (C_5H_5)(9-R-$C_{13}H_8$)$ZrCl_2$ (R = Me_3Si, Alkyl, Aryl): Synthese, Charakterisierung und Anwendung als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 15

Unverbrückte (Pentamethylcyclopentadienyl)(fluorenyl)-Komplexe des Zirconiums und Hafniums. Die Molekülstrukturen von (C_5Me_5)(2,7-Me_2–$C_{13}H_7$)MCl_2 (M = Zr, Hf) (M.A. Schmid, H.G. Alt und W. Milius), 9

Book Review

Gmelin Handbook of Inorganic and Organometallic Chemistry, Eighth Edition (G.J. Leigh), 304

Macromolecule-Metal Complexes, E. Ciardelli, E. Tsuchida and D. Wöhrle (eds.) (G.J. Leigh), 303

Stereoselective Synthesis, Robert S. Atkinson, John Wiley (J.R. Hanson), 303